



Schweizer Aircraft Corporation

2006 MODEL 300C HELICOPTER

OVERHAUL AND RETIREMENT SCHEDULE

COMPONENTS WITH SCHEDULED OVERHAUL TIMES	OVERHAUL INTERVAL HOURS
Engine (Lycoming)	1,500
Main Rotor Transmission	3,000
Tail Rotor Transmission	3,000
Upper Ball Bearings, Belt Drive Frame Assembly	3,000
Lower Ball Bearings, Belt Drive Frame Assembly	1,800
Idle Pulley Bearings, Belt Drive Assembly	3,000

COMPONENTS WITH MANDATORY RETIREMENT TIMES	RETIREMENT LIFE HOURS
Main Transmission Ring Gear Carrier/Coupling	6,000
Main Transmission Pinion Assembly	6,000
Main Rotor Drive Shaft	3,200
Main Rotor Hub	8,000
Main Rotor Mast	13,590
Main Rotor Thrust Bearing	3,000
Main Rotor Pitch Bearing Shaft	3,600
Main Rotor Blade Assembly	5,500
Tailboom Assembly	4,200
Horizontal Stabilizer Assembly	4,200
Vertical Stabilizer Assembly	20,540
Tail Rotor Drive Shaft Assembly	6,000
Tail Rotor Gearbox Input Shaft	8,600
Elastomeric Main Rotor Damper	6,000
Tail Rotor Blade Assembly	9,000
Tail Rotor Blade Retention Straps	5,100
Lower Pulley Coupling Shaft	6,000
Tailboom Attaching Strut Assembly	10,700

Reference: Type Certificate Data Sheet #4H12; Revision 26